


Toilet Partner In My Life -
Clean and healthy life, new sense of toilet culture

2018 >> Promotional Products

Automatic Hand Dryer / Automatic Faucet / Napkin Dispenser /
Automatic Hand Sanitizer / Paper Towel Dispenser /
Aroma / Soft Foamy / Automatic Flushing Sensor /
Jumbo Roll Bathroom Tissue / Bathroom Accessory



EXHIBITION BOOTH





Clean and comfortable cultural life creation



Toilet Partner In My Life -

Clean and healthy life, new sense of toilet culture



- Self-Diagnosis System
- Interface Feature
- Voice & Music Support AI

2018 >>

Warm & Cool Air

Automatic Hand Dryer

HTM-338

High Technology

No One Can Dare Imitate

Promotional Products

Automatic Hand Dryer / Automatic Faucet / Napkin Dispenser
 / Automatic Hand Sanitizer / Paper Towel Dispenser / Soft Foamy
 / Aroma / Automatic Flushing Sensor / Jumbo Roll Bathroom Tissue
 / Bathroom Accessory





Brief History

We strive to become a global leader with continuous research & development and quality perfection.

■ Top Business Showings (Top Buyers)

Samsung Life Insurance, Lotte Hotel, 63 Building, Dong Dae Mun Migliore, Kookmin Bank (Main Branch), Korea Exchange Bank (Main Branch), Samsung (Headquarters), Hyundai Motors, Shinsegae Department Store, Bundang Techno Park, Jamsil Gymnasium, St. Mary's Hospital, Kangnam University, Mokdong Gymnasium, SookdaegoldenCC, Yangpyong Plaza, Kolon in-service training center/research Institute, COEX Aquarium, Sayook University, Samsung SDI, Sangmyong University, Sookmyong University, Seoul Milk, Samsung Exhibition Center, Samsung Heavy Industries, SBS Broadcasting System, KTX-2 Korean Express Rail Service, Korea Antarctic Research Program, Institution of Oceanography, Seoul Land, Korea Agro-Fisheries Trade Corporation, Lotte Engineering & Construction Corporation, Gwangyang public bathroom, Lotte Confectionery, Subway Corporation (Lines 1,2,3,4) Rapid Transit Corporation (Lines 5,6,7,8) KBS, Naval Logistics Command, Hanla Heavy and Chemical Industry, Samsung in-service training, Bundang Regeneration Hospital, Gojedo Shipyard, Pohang Steel Mill, Korean National Oil Corporation, Hyundai Department Store, Gwangyang Steel Mill, Jeollabuk-do Agricultural Cooperative Federation, Small Business Corporation, Seoul National University Hospital, Shilla Hotel, Hyatt Hotel, Walker Hill Hotel, Seoul Asan Hospital, Aju University Hospital, Seoul High Court, Sanlim Academy of Science, Industrial Complex, Gueryung City Agricultural Technology Center, Korea Air Force Academy, Yong In University, Seoul Yongsan Post Office, Gyuonggi Human Resources Development Institute, MizMedi Clinic, CGV Nationwide, Chungmu Art Hall, Korea Institute of Construction Technology, Nami Island, Fishery market building, Dongguk University, Galleria Department Store, Meritz building, Incheon International Airport, Kimpo Airport, GS Mart nationwide, Geonggi Provincial Government, Emart, Bucheon Techno Park, E-LAND, STX, KIA MOTORS and other 20,000 businesses and buildings.

■ Export Markets

Hong Kong, Singapore, Vietnam, China, Russia, Japan, Colombia, France, Saudi Arabia



Innovation
Design development and research material for customers satisfaction.



Toilet Partner In My Life -

New start to create the new toilet environment in 21st century !



- 1989.** Establishment of Hankook Towel Machine Ind Co., Ltd
Development and production of Hand Dryer
Establishment of electrical goods production factory
Performance evaluation test approval of Electrical Urinal Sensor (No.63-2)
Performance evaluation test approval of High Enriched Liquid Soap (No.TK 3817)
- 1992.** Building Industry Fair at Korea KOEX Center
- 1994.** KyungHyang Housing Fair at Korea KOEX Cente
Development of wall-mounted body dryer.
Utility Model, Design and Patent Registration
Development and marketing of High Enriched Liquid Soap
- 1995.** Development and marketing of Paper Towel Machine
- 1997.** Utility Model, Design and Patent Registration
Starting export of hand Dryer to China
- 1998.** Development of household appliances (Tissue Case, Tissue)
Starting supply of household appliances to mart
Trademark Registration of HTM
Starting export of hand Dryer and High Enriched Liquid Soap to Japan
- 1999.** Development and marketing of Integral Toilet Bowl Sensor and Urinal Sensor
- 2000.** Development and marketing of Refill Container of Liquid Soap
- 2001.** Development and marketing of Air Freshener
Development and marketing of Napkin Case
Development and marketing of Stainless Hand Dryer
- 2002.** Development and marketing of Flush type Urinal Sensor
Opening of Shanghai Permanent Exhibition Center
- 2003.** Development and marketing of High-speed Hand Dryer - windup
- 2004.** Development and marketing of Automatic Hand Sterilizer
Development and marketing of Small-sized Paper Towel Dispenser
- 2005.** Development and marketing of Automatic Faucet
Obtaining Eco-friendly Products Certificate for Paper Towel and Jumbo Roll

- 2006.** Development and marketing of Anion/Infrared rays emitting Hand Dryer
Design Registration (No.0029879)
Patent Registration of High-speed Hand Dryer-windup (No.10-0597107)
- 2007.** Development and marketing of Bubble soap Dispenser
Development and marketing of Stainless Anion/Infrared rays emitting Hand Dryer
Development and marketing of Paper Towel Dispenser
- 2008.** Development and marketing of Music Hand Dryer
Utility Model, Design and Patent Registration
- 2010.** Development and marketing of Music Paper Towel Dispenser
- 2011.** Development and marketing of Stand-type High-speed Hand Dryer
Utility Model, Design Registration
Certified KC
Certified CE
Conclusion Agreement of Exclusive Distributor in Turkey
- 2012.** Development of 7 kinds of High-speed and Power saving Hand Dryer
Certified CE for High-speed Hand Dryer (HTM 350, 351)
Marketing of High-speed Hand Dryer (HTM 350, 351)
Certified CE for High-speed Hand Dryer (HTM 352, 354ST, 355ST, 357, 358)
- 2013.** 2013 Kitchen & Bath China Fair at Shanghai New International Expo Center
- 2014.** 2014 Kitchen & Bath China Fair at Shanghai New International Expo Center
- 2015.** HTM360HS,361TM,365HS,366Tm 4 kinds of Hand dryer development
Dubai Big 5 Expo Participation
2015 Canton Fair participation
- 2016.** Dubai Big 5 Expo Participation
Netherlands Amsterdam ISSA Expo Participation
Hanoi expo Participation
- 2017.** Germany ISH Expo Participation
New products Hair&Body, Sink Dryer development and marketing
Hong Kong Global sources Expo Participation
- 2018.** Korea build Expo Participation



Promotional Products

Clean and healthy life, new sense of toilet culture

(Warm / Cool Air)

Automatic Hand Dryer

Mind-Blowingly Fast Hand Dryer

Wind Generated from Strong Motor Made with HTM's Cutting-Edge Technology



01 Up-Close Sensor

02 Wet Hands Drying

03 Drain Tank and Filter

Advanced Technology
Like No Other –
Simpler Design by
New Thinking




High Technology No One Can Dare Imitate



Product Name	HTM-338 (Interface feature, Self-diagnosis system)
Voltage	220V / 60Hz
Material	Inflammable ABS
Size	300(W) 560(H) 220(D)
Power consumption	Warm air(2,000W), Cool air(1,350W)
Sensor Type	UV Sensor at 3 Points
Weight	7.14Kg
Safety Feature	Automatic power shut-off if there is overvoltage, temperature rise or motor disorder. If operated continuously, drier automatically stops for 1 min and LED display blinks.
R P M	3,000~30,000(adjustable)
Wind Velocity	Over 150m/s
Noise Level	Below 77.4db
Drying time	(About) 5 Seconds
External Coating	High-Gloss UV Color Coating (No color change)
Additional Function	Voice & Music Support AI
Convenient Feature	Interface feature, Self-diagnosis system, Voice-support AI, UV LED, Warm/Cool wind options, Alarm setting for motor & filter replacement
Official Certification	Patent Pending

HTM-338 Parts Name



HTM-338 Water Spatter Preventive Feature & Operation

Prevent Water Spatter with Air Nozzle




Prevent Water Spatter with **New Air Nozzle**

45-degree air flow direction helps minimize water spatter and air blowing directly into the face.

Product Operation (Switch Box Keys & Functions)



- **Air Volume Control**
 - 1st Touch (1st Level) Red Light Flickers
 - 2nd Touch (2nd Level) Red
 - 3rd Touch (3rd Level) Purple Light Flickers



- **Sound Volume Control**
 - After pressing Voice Button for 3 seconds, light color changes as above (Low, Mid, High)



(Warm / Cool Air)

Automatic Hand Dryer

Premium Hand Dryer with Leading Technology and Finished Quality
Fresh Lifestyle Making Dryer with Forward-Looking Technology

Top Premium Hand Dryer Tailored Perfectly to Convenient Use of People, **HTM-338**

Product Exterior & Interior, HTM-338



Strong Wind Power from Ultra-Fast Rotating Motor

Cutting-edge air generating system with powerful RPM 30,000.



Automatic Sensor System for Nearby User (Inner Disinfection LED Light)

The hand dryer recognizes user in advance. Use-ready-mode and disinfection LED lights are turned on.



Smart Display

Neat and easy-to-read display allows an easy checking of operation status.



Interface Feature

Automatic door control



Self-Diagnosis Guiding System

Provides self-diagnosis guiding system for an effective and easy management of the product



Voice & Music Supporting AI

After hand drying, voice and music can be set to play every 2 or 5 minutes.



UV Disinfection & UV LED Inside the Machine

Hygienic hand drying is made possible through UV disinfection & UV LED emissions inside the HTM 338 implemented for the first time in hand dryers.



Plazma Ion (HPI) Disinfection and Deodorization

By embedding plazma ion modules that can effectively reduce odor, contaminated air and virus, more hygienic use of the hand dryer is provided to you. (Antibacterial test results in Korea and overseas)

Automatic (Warm / Cool Air) Hand Dryer

Widely installed in busy offices, department stores, hospitals, hotels, and movie theaters
Hygienic lifestyle with premium quality brought to you with high satisfaction.



Plazma Ion serves as a filter
For contaminated air and virus,
All at once!



UV LED Light

More hygienic use of the hand dryer is possible through UV LED light that disinfects and decontaminates germ inside the hand dryer.



Speedy 5-Second Hand Drying Experience & Compressed Module

Advanced aerodynamic structure generates jet air flow thanks to ultra-fast motor and compressed module. Designed to dry hands fast and easy.



Air Volume Control, Warm / Cool Air Control

Air volume RPM can be easily adjusted between 3,000 and 30,000 with air temperature options available in both warm and cool air depending on the season.



Independent air suction function

Independent air inlet prevents the dust and humidity from flowing into the machine.



Reverse Air Flow Prevention

Cutting-edge technology was implemented to stop the reverse air flow directly and strongly into the face of the user.



Antibiotic deodorizing urethane foam air filter

Air filter specially designed functions to intercept the dirt or foreign material which flows with the air from outside to maintain the sanitary environment and the filter can be reused washing in running water so as to achieve the both the cost efficiency and sanitary use.



Easy Sliding Drain Tank

For user convenience, water tank can be easily slide in and out.



Bright LED Cluster Lights

Intensely bright LED cluster lights provide visual joy and fun. It turns into red, purple and blue by each ti

High-gloss UV color coating / Environment pollution prevention / Energy-saving product

(Warm / Cool Air)

Automatic Hand Dryer

Strong wind, removing water on hand within 5 seconds.

SPEED AIR – **windup**

The strong wind by high-speed vacuum motor and turbo fan removes water on hand in 5 seconds and warm and cool winds are adjustable.



01 LED Cluster

02 Drying wet hands


03 Drain tank



Product Name	HTM-310 (Infrared LED, Ultraviolet interior sterilization)
Voltage	220V / 60Hz
Material	Inflammable ABS
Size	240(W) 590(H) 200(D)
Power consumption	Warm air(2,100W), Cool air(1,380W)
Sensor Type	Infrared rays sensor
Weight	6.8Kg
Safety Feature	Temperature fuse, Over-current fuse, Auto timer (1minute)
R P M	3,000~30,000(adjustable)
Wind Velocity	Over 150m/s
Noise Level	77.4db and below
Drying time	5 seconds
External Coating	Violet color, High-Gloss UV color coating (No color change)



Product Name	HTM-310 (White)
Specifications	Same as left product



(Warm / Cool Air)
Automatic Hand Dryer

2 fans and 2 heaters that improve drying power and save electricity Emission of anion and infrared keeps the skin healthy and lessen noise.

After using it for a more than a minute an automated suspension system is activated that keeps you safe from and possible circuitry hazard.



Electrical Device Certi



Registered Design



ISO Certi



Seoul's Selected Brand



01 LED Cluster




02 Drying wet hands



03 Drain tank



Model	HTM-315 HTM-315SN(Infrared LED, Anion)
Voltage	220V / 60Hz
Material	Inflammable ABS
Size	250(W) 550(H) 180(D)
Power consumption	Warm air(2,100W), Cool air(76W)
Sensor Type	Infrared rays sensor
Weight	5,6Kg
Safety Feature	Temperature fuse, Over-current fuse, Bimetal, Auto timer (1minute)
Noise Level	30db and below
Drying time	10 seconds
External Coating	Violet color, High-Gloss UV color coating (No color change)




Low-noise, high-speed hand dryer Automatic Hand Dryer

Powerful hand drying
Water removal, cleaning off even one's heart

High-speed vacuum motor and turbo-type wing generated wind removes water in an instance and the wind speed controller allows convenient use.



01 LED Cluster




02 Control switch



03 Air Filter



Product Name	HTM-350 / HTM-351(Power saver type) (Infrared LED, Ultraviolet interior sterilization)
Voltage	220V / 50~60Hz
Material	Inflammable ABS
Size	247(W) 320(H) 210(D)
Power Consumption	Warm air(2,100W), Cool air(1,300W)-HTM-350 Warm air(1,100W), Cool air(900W)-HTM-351
Sensor Type	Infrared rays sensor
Weight	5.5Kg
Safety Feature	Temperature fuse, Over-current fuse, Auto timer (1minute)
R P M	High(30,000rpm), Low(20,000rpm)
Wind Velocity	150m/s(HTM-350) / 130m/s(HTM-351)
Noise Level	77,4db and below
Drying time	5seconds (HTM-350) / 7seconds (HTM-351)
External Coating	White color(Front side), Gray color(Back) UV color coating (No color change)
Power Saver Type	Depending on the temperature of the space, the heated drying may feel colder.



Powerful hand drying and
high durability establishes low maintenance cost!
Experience the **NEW** HTM 350 / 351



As the user approaches the product LED lamp turns on automatically and its color changes every time! Light turns off after 30 seconds!

The accumulated technology and know-how in hand dryer, HTM is the leader in all aspects!!



Warm & Cool

Warm and cool air can be selected freely depending on the season for convenience.



Refreshing 3 color LED

The refreshing 3-color LED generates the feeling of the user.



Power saving model(HTM-351)

The model reduces cost generated through usage for high economical use.



3-stage safety structure establishes improved safety

3-stage safety structure of temperature fuse, over current fuse and automatic stop timer (1 minute.) makes the product more safer.



Powerful 5 second drying

Fast drying allows users to remove water in hands conveniently without waiting in line.



Powerful motor & high-speed fan

Motor and high-speed fan designed exclusively for hand dryers allow faster and instantaneous hand drying.



3-stage filter removing odor

3-stage air filter filters particles in the air allowing clean using.





Implementation of antibacterial resin generates improved hygiene

Using antibacterial resin in various components and the body prevents bacteria from spreading.

Low-noise, high-speed hand dryer Automatic Hand Dryer

Elegant design and durable strength
The case is safe against damage and de-coloring.

Powerful wind dries wet hands in 7 seconds and power saving design reduces maintenance cost. 1 minute operation will automatically trigger the auto stop unit protecting the circuits from malfunctioning.



01 White Pearl

02 Control switch

03 Air Filter



Product Name	HTM-352 (Power saver type) (Infrared LED, Ultraviolet interior sterilization)
Voltage	220V / 50~60Hz
Material	Inflammable ABS
Size	247(W) 310(H) 200(D)
Power consumption	Warm air(1,100W), Cool air(900W)
Sensor Type	Infrared rays sensor
Weight	5.5Kg
Safety Feature	Temperature fuse, Over-current fuse, Auto timer (1minute)
R P M	High(30,000rpm), Low(20,000rpm)
Wind Velocity	130m/s
Noise Level	77.4db and below
Drying time	7 seconds
External Coating	White color(Front side), Gray color(Back) UV color coating (No color change)
Power Saver Type	Depending on the temperature of the space, the heated drying may feel colder.

 **Warm & Cool**
Warm and cool air can be selected freely depending on the season for convenience.

 **High glossy UV coating**
High glossy coating prevents de-coloring even in long term usage maintaining the delicate lust from its birth.

 **Power saving model**
The model reduces cost generated through usage for high economical use.

 **3-stage safety structure establishes improved safety**
3-stage safety structure of temperature fuse, over current fuse and automatic stop timer (1 minute.) makes the product more safer.

 **Powerful 7 second drying**
Fast drying allows users to remove water in hands conveniently without waiting in line.

 **Powerful motor & high-speed fan**
Motor and high-speed fan designed exclusively for hand dryers allow faster and instantaneous hand drying.

 **3-stage filter removing odor**
3-stage air filter filters particles in the air allowing clean using.


 **Implementation of antibacterial resin generates improved hygiene**
Using antibacterial resin in various components and the body prevents bacteria from spreading.

Low-noise, high-speed hand dryer

Automatic Hand Dryer

The stainless case eliminates the possible damages and color change of the product and infrared & ultraviolet rays offer powerful interior and exterior sterilization.

Powerful wind of 2,100W dries wet hands in 5 seconds saving time and cost.



01 Stainless

02 Control switch

03 Air Filter



Product Name	HTM-354ST / HTM-355ST (Power saver type) (Infrared LED, Ultraviolet interior sterilization)
Voltage	220V / 50~60Hz
Material	Stainless
Size	247(W) 310(H) 200(D)
Power Consumption	Warm air(2,100W), Cool air(1,300W)-HTM-354ST Warm air(1,100W), Cool air(900W)-HTM-355ST
Sensor Type	Infrared rays sensor
Weight	6.5Kg
Safety Feature	Temperature fuse, Over-current fuse, Auto timer (1minute)
R P M	High(30,000rpm), Low(20,000rpm)
Wind Velocity	150m/s(HTM-354ST) / 130m/s(HTM-355ST)
Noise Level	77.4db and below
Drying time	5seconds(HTM-354ST) / 7seconds(HTM-355ST)
External Coating	Stainless color(Front side), Gray color(Back) Use without damage.
Power Saver Type	Depending on the temperature of the space, the heated drying may feel colder.



Warm & Cool
Warm and cool air can be selected freely depending on the season for convenience.

Sturdy stainless product
Stainless steel is strong against exterior impacts and is safe against damages.

Power saving model(HTM-355ST)
The model reduces cost generated through usage for high economical use.

3-stage safety structure establishes improved safety
3-stage safety structure of temperature fuse, over current fuse and automatic stop timer (1 minute.) makes the product more safer.

Powerful drying
Fast drying allows users to remove water in hands conveniently without waiting in line.

Powerful motor & high-speed fan
Motor and high-speed fan designed exclusively for hand dryers allow faster and instantaneous hand drying.

3-stage filter removing odor
3-stage air filter filters particles in the air allowing clean using.



Implementation of antibacterial resin generates improved hygiene
Using antibacterial resin in various components and the body prevents bacteria from spreading.

Low-noise, high-speed hand dryer

Automatic Hand Dryer

The powerful wind drying in 5 seconds reduces the maintenance cost and the simple design upgrades the dignity of the building.

The powerful wind is very effective in drying wet hands and heated/cool air can be selected freely by control switch.



01 White Pearl

02 Control switch

03 Air Filter



Product Name	HTM-357 (Infrared LED, Ultraviolet interior sterilization)
Voltage	220V / 50~60Hz
Material	Inflammable ABS
Size	247(W) 310(H) 200(D)
Power consumption	Warm air(2,100W), Cool air(1,300W)
Sensor Type	Infrared rays sensor
Weight	5.5Kg
Safety Feature	Temperature fuse, Over-current fuse, Auto timer (1minute)
R P M	High(30,000rpm), Low(20,000rpm)
Wind Velocity	150m/s
Noise Level	77.4db and below
Drying time	5 seconds
External Coating	White color(Front side), Gray color(Back) UV color coating (No color change)



Warm & Cool
Warm and cool air can be selected freely depending on the season for convenience.



LED Indicator
The fast and easy-to-read LED indicator is installed on the front.



High glossy UV coating
High glossy coating prevents de-coloring even in long term usage maintaining the delicate lust from its birth.



3-stage safety structure establishes improved safety
3-stage safety structure of temperature fuse, over current fuse and automatic stop timer (1 minute.) makes the product more safer.



Powerful 5 second drying
Fast drying allows users to remove water in hands conveniently without waiting in line.



Powerful motor & high-speed fan
Motor and high-speed fan designed exclusively for hand dryers allow faster and instantaneous hand drying.



3-stage filter removing odor
3-stage air filter filters particles in the air allowing clean using.



Implementation of antibacterial resin generates improved hygiene
Using antibacterial resin in various components and the body prevents bacteria from spreading.

(Warm / Cool Air)
Automatic Hand Dryer



It is convenient for use in public restrooms, schools, and in facilities.



Product Name	HTE-303	Safety Feature	Temperature fuse, Bimetal, Over-current fuse, Auto timer (1minute)
Voltage	220V / 60Hz	R P M	3,000rpm
Material	Stainless	Noise Level	30db and below
Size	220(W) 250(H) 210(D)	Drying time	20 seconds
Power Consumption	Warm air(1,800W), Cool air(76W)		
Sensor Type	Infrared rays sensor		
Weight	4.3Kg		



Product Name	HTE-300
Material	Inflammable ABS
Weight	3.5Kg
External Coating	UV color coating (No color change)



Product Name	HTM-307SN (Infrared LED, Anion)
Voltage	220V / 60Hz
Material	Inflammable ABS
Size	250(W) 280(H) 180(D)
Power consumption	Warm air(2,100W), Cool air(76W)
Sensor Type	Infrared rays sensor
Weight	4Kg


Safety Feature	Temperature fuse, Bimetal, Over-current fuse, Auto timer (1minute)
Noise Level	30db and below
Drying time	10 seconds
External Coating	Violet color, UV color coating (No color change)

(Warm / Cool Air)

Automatic Hand Dryer

Landfill type Hand Dryer

A sense of unity with the wall~ quick drying~
the strength of the characteristics
of the stainless steel~
enhance the quality of the building



Product Name	HTM-354ST R (Infrared LED, Ultraviolet interior sterilization)
Voltage	220V / 50~60Hz
Material	Stainless
Size	345(W) 460(H) 190(D)
Landfill type size	320(W) 435(H) 60(D) (Aspect : 10)
Power consumption	Warm air(2,100W), Cool air(1,300W)
Sensor Type	Infrared rays sensor
Weight	9.3Kg
Safety Feature	Temperature fuse, Over-current fuse, Auto timer (1minute)
R P M	High(30,000rpm), Low(20,000rpm)
Wind Velocity	150m/s
Noise Level	77.4db and below
Drying time	5 seconds
External Coating	Stainless makes color discoloration none



HTM-350R



HTM-352R
[Power saver type]



HTM-357R



Warm & Cool

Warm and cool air can be selected freely depending on the season for convenience.



Sturdy stainless product

Stainless steel is strong against exterior impacts and is safe against damages.



Power saving model(HTM-352R)

The model reduces cost generated through usage for high economical use.



3-stage safety structure establishes improved safety

3-stage safety structure of temperature fuse, over current fuse and automatic stop timer (1 minute.) makes the product more safer.



Powerful drying

Fast drying allows users to remove water in hands conveniently without waiting in line.



Powerful motor & high-speed fan

Motor and high-speed fan designed exclusively for hand dryers allow faster and instantaneous hand drying.



3-stage filter removing odor

3-stage air filter filters particles in the air allowing clean using.



Implementation of antibacterial resin generates improved hygiene

Using antibacterial resin in various components and the body prevents bacteria from spreading.

Automatic Hand Sanitizer

It helps to maintain hygienic hand with the highest level of cleanliness. Sterilizer removes bacteria immediately and prevents infectious disease. It is useful in hospital, facilities and for personal hygiene.



HTM-620 Automatic hand sterilizer

- Voltage : 220V / 60Hz
- DC 6V electric plug / batteries
- Case material : ABS, PE
- Power consumption : 1W
- Size : 140(W) 270(H) 240(D)
- Color : Ivory
- Batteries : DC 6V×4EA(D size)



- Capacity : 1ℓ ×6EA / BOX

HTM-620A Sterilizer

- Capacity : 1ℓ (1,250 available uses)
- Cleansing effect : 99.9%
- Ingredients : alcohol, vegetable glycerine etc.
- *Characteristics :
 - 100% vegetable additives are used.
 - Moisturizing effect and colorless.
 - Cares for hygiene and safety, recommended for workshops and personal care.



HTM-918 Disposable pack Sanitizer Dispenser

- Case material : ABS
- Size : 142(W) 220(H) 120(D)
- Capacity : 800ml(2,500 available uses)
- *Characteristics :
 - Outstanding design with its transparent container makes it easy to check on the contents.
 - The push button resists prolonged usage with no malfunctions.



- Capacity : 800ml×12EA / BOX

HTM-623A Soft Foamy Sanitizer

- *Characteristics :
 - Moisturizers have been added to protect the delicate skin.
 - With its non-sticky feature maintains the hand clean and soft.



- Capacity : 900ml×12EA / BOX

HTM-627A Sterilizing gel


- Capacity : 900ml(900 available uses)
- Cleansing effect : 99.9%
- *Characteristics :
 - Moisturizers have been added to protect the delicate skin.
 - With its non-sticky feature maintains the hand clean and soft.

Paper Towel Dispenser


Its elegant design makes it perfect for a luxurious environment.



HTM-518
 • Size : 255(W) 650(H) 135(D)
 • Case material : ABS(UV coating)



HTM-519
 • Size : 258(W) 750(H) 150(D)
 • Case material : ABS(UV coating)



Internal basket



HTM-561A Roll paper towel
 • 183m / 6roll / BOX

HTM-907 Paper towel
 • 100sheets×50bundles / BOX

■ Characteristics

- Using ABS engineering material, it is light, firm and antirust.
- The magnetic fix-unit makes it easier to replace and use the paper towel.
- It doesn't need additional trash can. It comes in a built-in trash package.
- Easy to check on the amount of paper towel which enables easier management



HTM-530
 • Size : 240(W) 155(H) 120(D)
 • Case material : ABS



HTM-501
 • Size : 240(W) 265(H) 140(D)
 • Case material : P.S, ABS




HTM-505
 • Size : 253(W) 340(H) 118(D)
 • Case material : ABS(UV coating)




HTM-505CL [Luxury]
 • Size : 253(W) 340(H) 118(D)
 • Case material : ABS(UV color coating)

Paper towel 100sheets X 100bundles / BOX



HTM-520
 • Size : 300(W) 750(H) 170(D)
 • Case material : ABS



HTM-523
 • Size : 300(W) 1,030(H) 170(D)
 • Case material : Fire-retardant ABS (UV coating)

Internal basket

Napkin Dispenser

Create an efficient image place!
 Satisfied with the functional and fashionable sense!



HTM-932A Napkin
 • 100sheets X 100bundles / BOX



HTM-536
 • Size : 115(W) 115(H) 80(D)
 • Case material : ABS



HTM-530NK
 • Size : 240(W) 155(H) 120(D)
 • Case material : ABS



HTM 502
 • Size : 240(W) 265(H) 140(D)
 • Case material : P.S, ABS



HTM-519NK [Wastebasket inside]
 • Size : 258(W) 750(H) 150(D)
 • Case material : ABS

Paper Towel Dispenser

With a beautiful design which is made of stainless material maker it durable and adds an aesthetic touch to the bathroom atmosphere.



HTM-571R 300(W) 750(H) 140(D)
• Material : stainless

HTM-572R 300(W) 1,000(H) 140(D)
• Material : stainless

HTM-573R 300(W) 1,200(H) 140(D)
• Material : stainless

Internal basket(Landfill type)



HTM-571 300(W) 750(H) 140(D)
• Material : stainless

HTM-572 300(W) 1,000(H) 140(D)
• Material : stainless

HTM-573 300(W) 1,200(H) 140(D)
• Material : stainless

Internal basket(Surface type)

Automatic Faucet

The water flows only when the sensors are activated, which saves water. Needless for hand contact, makes it more hygienic.

Automatically activated by sensors.

When hands are taken close to the automatic faucet, sensors are activated and the water flows. When hands are taken away the flow of water stops.

Hygienic.

For it is needless to touch the faucet itself, it is more hygienic.

Outstanding water saving effect.

When hands are taken away the flow of water stops. After a minute of continuous flow of water, it stops automatically.


Electrical plug in and battery version available.

Depending on the place of installation, you can chose the source of power Electrical piug or battery version.



Water saving feature comparison facts

Hand wash water usage comparison



HTM-703 [electric plug / batteries]

- Plug-in type : DC 6V(1.5V×4EA)
- Material : Brass Chrome
- Sensor activation distance : 15~30cm
- Water saving power : min 0.7kgf/cm, max 7.5kgf/cm
- Temperature range : water temperature 1~60℃
- *Features : warm/cold water (mixing)



01 Normal

02 When takes the hand, the sensor operation

03 When keeps away the hand and will bite stops.

Aroma


Where beauty reigns for its aroma.

To keep a place from bad smell and stuffy air.
It injects life with its fresh and amiable scent.



HTM-945

HTM-945A



HTM-945 Aroma Container

- Case material : ABS
- Size : 95(W) 180(H) 70(D)
- Batteries : AA×2EA
- *Characteristics :
 - Depending on the place, spraying time can be set every 7, 15, 30 minutes.


HTM-945A Liquefied Aroma

- Capacity : 210ml×10EA/BOX
- Terms of use : Aroma(210ml) and Batteries(about a month)
- *Characteristics :
 - Only the undiluted solution of the aromatic was used that makes it harmless to the body.
 - It can be adjust to your favorite natural scent.



HTM-942

HTM-942A



HTM-942 Aroma Container

- Case material : ABS
- Size : 110(W) 200(H) 75(D)
- Batteries : AA×2EA
- *Characteristics :
 - Depending on the environment, the spraying amount can be adjusted.
 - With an automated timer it sprays at a set time.
 - Operating by batteries, no need to connect electricity.

HTM-942A Canned Aroma

- Capacity : 325ml×30PCS/BOX
- Terms of use : Aroma(325ml) and Batteries(about a month)
- *Characteristics :
 - It maintains fresh indoor environment by eliminating virus, bacteria, mold and smoking smell.
 - It makes emotional indoor atmosphere by fresh and attractive Aroma.

Soft Foamy

With a simple design and a convenient button, clean the skin wastes and pollutants easily.



- HTM-913 Bubble soap Dispenser**
- Case material : ABS
 - Size : 120(W) 196(H) 110(D)
 - Capacity : 800ml(2,000 available uses)
 - *Characteristics :
 - Good designed exclusive container.
 - UV color coating (No discoloration).

- HTM-913A Bubble soap VS Foam**
- Capacity : 2,000ml×6EA/BOX
 - Aroma : Chanel Aroma
 - *Characteristics :
 - Eco-friendly products melted in the water entirely after using.
 - Outstanding moisture preservation function maintains hands moist.



- HTM-918 Bubble soap Dispenser with disposable pack**
- Case material : ABS
 - Size : 142(W) 220(H) 120(D)
 - Capacity : 800ml(2,500 available uses)
 - *Characteristics :
 - Outstanding design with its transparent container which makes it easy to check on the contents.
 - The push button resists prolonged usage without any malfunction.

- HTM-918A Bubble soap disposable Pack**
- Capacity : 800ml×12EA/BOX
 - Aroma : Chanel Aroma
 - *Characteristics :
 - It is safe from foreign substances in outside and so light that user can replace easily.
 - The plenty of bubble generates more cleanness and hygiene.



- HTM-911 Liquid Soap Dispenser with Refill pack**
- Case material : ABS
 - Size : 118(W) 200(H) 85(D)
 - Capacity : 800ml(800 available uses)
 - *Characteristics :
 - Good designed exclusive container.
 - Piston Compress Valve System generates no leak or breakdown even it is used long time.

- HTM-911A Liquid soap**
- Capacity : 5,000ml×4EA/BOX
 - Aroma : Chanel Aroma
 - *Characteristics :
 - Much Protein and Glycerin protect skin.
 - It is High Enriched Liquid Soap using good materials.



- HTM-915 Liquid Soap Dispenser with Refill pack / disposable pack**
- Case material : ABS
 - Size : 135(W) 203(H) 95(D)
 - Capacity : 1,100ml(1,100 available uses)
 - *Characteristics :
 - Hygienic and strong container with good design.

- HTM-915A Liquid soap disposable pack**
- Capacity : 1,100ml x 12EA/BOX
 - *Characteristics :
 - Eco-friendly products melted in the water entirely after using.
 - High enriched soap disposal pack which is convenient to use and replac.

Automatic Flushing Sensor

When you get closer to the urinal
the sensor is automatically activated and the flushing starts.
There is no need to manually push the flushing button.




HTM-901E [electric plug]

- Plug-in type : 220V
- Material : ABS engineering
- Watts : 12W during operation
- Operation type : 2-Time type
- Distance of sensor detection : 10~100cm(adjustable)
- Size : 248(W) 92(H) 92(D)

HTM-901B [batteries]

- Plug-in type : DC 6V
- Number of time use :
- 10,000 available uses



HTM-902K [electric plug]

- Plug-in type : 220V
- Material : ABS engineering
- Watts : 12W during operation
- Operation type : 2-Time type
- Distance of sensor detection : 10~100cm(adjustable)
- Size : 260(W) 100(H) 100(D)

HTM-902KP [batteries]

- Plug-in type : DC 6V
- Number of time use :
- 10,000 available uses



HTM-902ET [electric plug stainless]

- Plug-in type : 220V
- Material : stainless
- Watts : 12W during operation
- Operation type : 2-Time type
- Distance of sensor detection : 10~100cm(adjustable)
- Size : 260(W) 100(H) 100(D)
- *Characteristics :
- Stainless case that prevents damage.
- Recommended for public bathrooms and multi-purpose installations.

HTM-902BT [batteries stainless]

- Plug-in type : DC 6V
- Number of time use :
- 10,000 available uses



■ AType : 120(W) 120(H)

Electric landfill Urinal Sensor

HTM-902ER [electric plug landfill type] HTM-902BR [batteries landfill type]

- Plug-in type : DC 6V(Four "AA" Batteries)
- Distance of sensor detection : 30~50cm
- Hydro pressure : 0.5~10kgf/cm²
- Temperature range : 0~60°C
- Life span : 1~2years
- Installation : PT 1/2(general water pipes)
- Size : 120(W) 120(H)

Automatic Flushing Sensor

Function and convenience perfectly harmonized.

HTM-397D Washing Fluid

- Capacity : 210ml×20EA/BOX
- Terms of use : 210ml(1 month)

HTM-397 Washing Container

- Material : ABS, Chrom Coating
- Size : 140(W) 145(H) 45(D)


*Characteristics :

- Suppresses the propagation of the germ, intercepts an offensive odor, the fragrance is continued 24 hours and is comfortable.



HTM-903U Electric Urinal Sensor


- Plug-in type : DC 6V(Four "AA" Batteries)
- Distance of sensor detection : 40~60cm
- Hydro pressure : 0.5~8.0kgf/cm²
- Temperature range : 0~60°C
- Life span : 1~2years
- Installation : PT 1/2(general water pipes)
- Material : brass / chromium plating



HTM-903B

Electric Toilet Bow Senso[Manual Both]

- Plug-in type : DC 6V(Four "AA" Batteries)
- Distance of sensor detection : 40~60cm
- Hydro pressure : 0.5~8.0kgf/cm²
- Temperature range : 0~60°C
- Life span : 1~2years
- Installation : PT 1/2(general water pipes)
- Material : brass / chromium plating



Jumbo Roll Bathroom Tissue

Simple practical and functional design
blends perfectly with in the your interior decoration.

The elegant appearance of this family size jumbo roll case is also environmentally.
Also keeps toilet paper well protected from dirt and keeps it clean and safe.
For multi stalled bathrooms it also saves the trip of replacing it regularly.



HTM-931A 300/500m×16ROLL/BOX



HTM-937
• Material : ABS
• Size : 253(W) 260(H) 106(D)



HTM-937CL [Luxury]
• Material : ABS(UV color coating)
• Size : 253(W) 260(H) 106(D)



HTM-936
• Material : ABS
• Size : 260(W) 280(H) 110(D)



HTM-931
• Material : ABS
• Size : 270(W) 276(H) 120(D)



HTM-938
• Material : Stainless
• Size : 270(W) 276(H) 120(D)



HTM-550RT [Haniroll Case]
• Material : ABS, AS
• Size : 180(W) 190(H) 115(D)

Bathroom Accessory

We strive to become a first class enterprise with continuous research and development and quality perfection.



1 Refill Automatic Liquid soap container
140(W) 270(H) 240(D)

2 Roll paper towel
183m



3 Napkin dispenser
115(W) 115(H) 80(D)

4 Napkin
100piece×100BUNDLE/BOX

5 Paper towel
100piece×50BUNDLE/BOX

6 Handiroll tissue
130m×24ROLL/BAND



7 Jumboroll toilet tissue
500m(300m:2Layer)×16ROLL/BOX

8 Washing fluid
210ml×20EA/BOX

9 Canned aromatic
325ml×30CAN/BOX

10 Liquified aromatic
210ml×10EA/BOX



11 Sterilizer
1ℓ ×6EA/BOX

12 Antifungal bubble soap
2ℓ ×6EA/BOX

13 Liquid soap
5ℓ ×4EA/BOX

14 Liquid soap
18ℓ



15 Fresh pack soap
1.1ℓ ×12EA/BOX

16 Sterilizing gel
900ml×12EA/BOX

17 Bubble Soft Sterilizer
800ml×12EA/BOX

18 Bubble Soft Foamy
800ml×12EA/BOX